


# Axis™ Guidewire

The Axis Guidewire is an 0.035" guidewire with the advantages of an ultra-floppy distal tip and an extra firm shaft:

- Heavy-duty proximal shaft provides distal support and pushability
- Highly flexible tip facilitates atraumatic access and device placement
- Smooth pre-coating of PTFE enhances wire delivery
- Available with a 9cm or 12cm ultra-floppy tip



# Axis™ Guidewire

The Axis guidewire is intended to facilitate the placement of devices during diagnostic and interventional procedures.

Model	Wire Diameter	Wire Length	Tip	Box Quantity*
7370	0.035"	90cm	Straight, 12cm Floppy	5
7371	0.035"	90cm	Straight, 9cm Floppy	5
7372	0.035"	145cm	Straight, 9cm Floppy	5
7373	0.035"	260cm	Straight, 9cm Floppy	5
7374	0.035"	180cm	Straight, 9cm Floppy	5

\*Devices packaged in quantities of 5 units per box. Individual units are not sold separately.

## VSI Torque Device accessory

The VSI Torque Device is designed to be used with guidewires ranging in size from 0.014" to 0.038".

Model	Description	Box Quantity*
8180	VSI Torque Device	10


\*Devices packaged in quantities of 10 units per box. Individual units are not sold separately.

The VSI Torque Device is intended for use in manipulating a guidewire that is in the vasculature.



12cm Floppy Tip

9cm Floppy Tip



**vascular**  
SOLUTIONS

Manufactured for:  
**Vascular Solutions, Inc.**  
 6464 Sycamore Court  
 Minneapolis, Minnesota 55369  
 Customer Service: 888.240.6001  
[www.vasc.com](http://www.vasc.com)

Please see the Instructions for Use for a complete listing of the indications, contraindications, warnings and precautions.

CAUTION: Federal law (U.S.A.) restricts this device to sale by or on the order of a physician.

Axis is a trademark of Vascular Solutions, Inc.

©2011 Vascular Solutions, Inc. All rights reserved. ML1927 Rev. E 12/11